



Bona Deep Clean

Powerful waterborne cleaner for unwaxed floors with polyurethane finish



Professional strength, waterborne cleaner formulated for unwaxed, polyurethane finishes wood floors.

Bona Deep Clean is a professional strength, waterbased cleaner formulated for unwaxed, polyurethane finished wood floors. This pH-neutral floor cleaner dries fast, leaves no residue, and will not dull the floor's finish.

- Non-foaming, commercial strength hardwood floor cleaner designed specifically for the Bona PowerScrubber® and auto scrubbers
- Leaves no dulling residue
- pH neutral
- Non-flammable



Bona Deep Clean

Powerful waterborne cleaner for unwaxed floors with polyurethane finish

TECHNICAL DATA

Ingredient		CAS Number	Role
Water		7732-18-5	Solvent
Alkoxylated Alcohols		unavailable	Surfactant
PPG-2 Methyl Ether		34590-94-8	Solvent
Butoxypropanol		5131-66-8	Solvent
Polymeric Aquamarine Colorant		Proprietary	Colorant
Methylisothiazolinone		2682-20-4	Preservative
Benzisothiazolinone		2634-33-5	Preservative
pH-value:	7.0-8.0		
Solids content:	1%		
Density:	8.35 lbs/gallon (1.0 S.G.)		
US Regulatory VOC:	<1%		
Dilution:	1-part concentrate to 4 parts water		
Odor:	Slight Solvent		
Color:	Aquamarine		
Packaging:	1 gallon		
Shelf life:	1-year shelf-life		
Storage/Transport:	Bona Deep Clean should be stored in a climate-controlled environment. Keep from freezing. Do not store above 100° F.		
Application Tools:	Bona PowerScrubber®, Autoscrubbers		
Drying time:	15-20 minutes		
Clean-up:	Clean all tools and equipment with warm water.		
Disposal:	Dispose of any remaining product in accordance with local, state, and federal regulations.		
Certificates:	GreenGuard Gold Certified		

BEFORE USING, READ ALL DIRECTIONS AND MATERIAL SAFETY DATA SHEET. FOR TECHNICAL ADVICE: Call Bona US at 800-872-5515

RECOMMENDED USE

Bona Deep Clean has two intended uses:

1. Deep Cleaning All types of unwaxed, residential and commercial polyurethane-finished wood floors, and pre-finished, aluminum-oxide floors.

2. The Bona Recoat System® - For use on polyurethane site-finished and pre-finished wood floors that have been maintained with acrylic maintenance products. Refer to Bona Remove label for full Recoat System instructions.



Bona Deep Clean

Powerful waterborne cleaner for unwaxed floors with polyurethane finish

MIXING INSTRUCTIONS

For use with the Bona PowerScrubber® and other autoscrubbers. DO NOT USE UNDILUTED. Dilute Bona Deep Clean at a 4:1 ration (4 parts water to 1 part

concentrate). When used with the Bona PowerScrubber, add half a gallon of concentrate to the solution tank then add 2 gallons of water

DIRECTIONS

DEEP CLEANING INSTRUCTIONS

Refer to autoscrubber manufacturer's set-up and operational procedures. Do not allow excess solution to pool or puddle on the wood floor. Wipe up immediately. For most wood floors one or two cleaning passes with the Bona PowerScrubber will thoroughly clean the floor. For heavily soiled areas more passes may be needed to remove ground in dirt. Wet tack entire floor to remove any drips or wet spots autoscrubber may have missed.

BONA RECOAT SYSTEMS INSTRUCTIONS

1. Using the Bona PowerScrubber, clean with the grain of the wood when possible, moving the Bona PowerScrubber up and back in the same path. Only dispense Bona Deep Clean agent on the forward pass. If Bona Remove® has dried or is not being removed completely it will be necessary to dispense Bona Deep Clean on the backward pass or make a second pass. 2. On subsequent passes overlap the previous pass by 20%. Continue process until all Bona Remove has been rinsed from the floor.

Bona US
24 Inverness Place East, Suite 100
Englewood, Co. 80150